



SEA BOX®

COMMON 10 Quadcon Dry Freight ISO Cargo Container

SB812-SG-USMC-COM10
 COMMON 10 Quadcon Dry Freight
 ISO Cargo Container


PRODUCT FEATURES

STANDARD FEATURES

- Corrugated steel sides, roof + swing doors on both sides
- (4) way fork lift pockets
- Wall tie down steel lashing rings, 2,000 lbs. capacity (20 total)
- Adjustable shelving A-track (4) sets:
- (10) vertical A-track sections (5 per side)
- (4) Full size shelving system provides (8) each transverse shelf halves, with non-slip polyurea surface coating with 32 shelf brackets (of which 8 are floor welded)
- (8) each recessed tie down bars per shelf half
- Each full size shelving system is rated at 550 lbs. capacity
- (4) each Shoring and Deck beams
- (64) each Web Straps with ratchets 48" L x 1" W, 700 lbs. SWL
- (4) each Caster Wheels, (2) swivel & (2) fixed
- 9" diameter wheel, 1/2" thick Polyurethane band
- 3,000 lbs. working load each, 12,000 lbs. capacity total
- All equipped with brakes and twist locks
- (2) each Caster Wheel storage brackets, holds (2) casters each
- (4) each Container Coupler (Horizontal Twistlocks)
- (2) each Container Coupler Storage Bracket, hold (2) couplers each
- (2) Vents (one per door panel)
- OD Green #34088 exterior, Sea Foam Green #24533 interior paint
- Quadcon containers are manufactured to ISO standards for 9 high stacking
- Dry freight container, all Corten Steel Monocoque construction
- Conforming to ISO 668 + 1496 CSC Certified

OPTIONAL FEATURES

- Additional Transverse Shelf Halves with 1 set of 4 shelf brackets
- Additional Shoring and Decking beams
- Additional Web Straps with ratchets



NSN #: 4940-01-521-9685

ALL NEW CONTAINERS ARE MANUFACTURED TO THE LATEST ISO STANDARD

	LENGTH		HEIGHT		WIDTH		DOOR OPENING	
	Exterior	Interior	Exterior	Interior	Exterior	Interior	Height	Width
Ft in	4' 9 3/8"	4' 7 3/4"	6' 10"	6' 3 1/16"	8' 0"	7' 6 9/16"	5' 11 3/16"	4' 5 5/8"
Metric	1,457	1,417	2,083	1,907	2,438	2,300	1,808	1,362

	TARE WEIGHT	PAYLOAD	GROSS WEIGHT	CUBIC CAPACITY
Lbs	2,000	9,200	11,200	220 Cu. Ft.
Kgs	907	4,173	5,080	6.22 Cu. M.

ALL DIMENSIONS AND WEIGHTS ARE NOMINAL AND SUBJECT TO MINOR VARIATIONS THAT MAY OCCUR DURING THE MANUFACTURING PROCESS

ISO 9001



CERTIFIED QUALITY MANAGEMENT SYSTEM